


Press No.	Make	Model	Tonnage	Year	Bolster Size (F/B x L/R x Thk.)			Hold-down	T-Slot Max Width L-R			Ram size (F/B x L/R x Thk.)			Hold-down	T-Slot Max Width L-R			Press Stroke	Min. Shut Ht.	Max. Shut Ht.	Adjust	S.P.M.	Tool Build Shut Ht.	Tool Build Feed Line	Bolster Image	Feeder Type	Max. Stock Width	Min./ Max. Mat'l Thk.	Payoff Type	Min. Coil I.D.	Max. Coil O.D.	STRAIGHTENER	DIE PROTECTION	TONNAGE MONITOR
-----------	------	-------	---------	------	---------------------------------	--	--	-----------	----------------------	--	--	-----------------------------	--	--	-----------	----------------------	--	--	--------------	---------------	---------------	--------	--------	---------------------	----------------------	---------------	-------------	------------------	-----------------------	-------------	----------------	----------------	--------------	----------------	-----------------

MTI MTI PRESSES



7	NIAGRA	SC2-250-72-42	250		42.00	72.00	7.00	5/8-11 T-SLOT	60.00	42.00	72.00	7.00	5/8-11 T-SLOT	60.00	12.00	16.00	26.00	10.00	0-28					10.50	BOLSTER IMAGE	Servo									
1	CCI	S2-400-84-48	400	1983	48.00	84.00	8.00	3/4-10 T-SLOT		48.00	84.00	8.00	3/4-10 T-SLOT		10.00	14.00	24.00	10.00	20-50					16.00		Servo	29.00								

PTM PTM PRESSES

1	KOMATSU	OBW-150-3	150	1998	29.90	82.20	6.69	5/8-11 T-SLOT	48.00	22.80	63.00	5.50	5/8-11 T-SLOT	48.00	7.84	14.16	18.10	3.94	35-65	15.00	10.50			BOLSTER IMAGE	Servo-Max	18.00	0.125	REEL	16"-20"	42"-46"	YES	YES	YES	
2	KOMATSU	OBW-150-3	150	1985	29.88	78.75	5.50	5/8-11 T-SLOT	48.00	21.65	63.00	5.50	5/8-11 T-SLOT	48.00	7.87	14.16	18.10	3.94	35-65	15.00	10.50			BOLSTER IMAGE	Coe Servo CPRF-S218	12.00	.020-.125	REEL	16"-20"	42"-46"	YES	YES	YES	
3	KOMATSU	E2W-110	110	2006	27.56	65.35	6.30	5/8-11 T-SLOT	48.00	20.50	55.20	6.30	5/8-11 T-SLOT	48.00	4.33	11.81	15.75	3.94	50-100	15.00	10.50			BOLSTER IMAGE	Coe Servo CPRF-M12	10.00	0.080	LAZY SUSAN	16"-20"	40"-44"	NO	YES	YES	
4	BLISS	NO 6T5 B	75	1966	20.00	48.00	6.00	5/8-11 T-SLOT		15.00	48.00	6.00	7/8 THRU HOLES		3.00	11.25	12.88	1.63	40-90	12.00	7.50				Coe Servo CPRF-M13	10.00	0.080	LAZY SUSAN	16"-20"	40"-44"	NO	YES	NO	
5	MINSTER		160	2001	33.50	63.00	4.92	5/8-11 T-SLOT	48.00	33.50	63.00	4.92	5/8-11 T-SLOT	48.00	5.90	18.70	22.64	3.94	25-250	19.50	10.50			BOLSTER IMAGE	Minster Servo	20.00	0.125	LAZY SUSAN	16"-20"	40"-44"	NO	YES	YES	
6	BLISS		60	1932	19.40	36.00	3.00	5/8-11 TAPS		14.00	30.00	3.00	5/8-11 TAPS		3.00	10.13	12.13	2.00	45-160	12.00	5.00			BOLSTER IMAGE	Crank Roll Feed	6.00	0.060	CRADLE	16"-20"	40"-44"	NO	YES	YES	
7	KOMATSU		300	1965	39.30	84.60	9.80	5/8-11 T-SLOT	72.00	35.40	84.60	9.80	5/8-11 T-SLOT	72.00	4.92	17.71	21.65	3.94	50-200	19.50	11.00			BOLSTER IMAGE	Coe Servo	24.00	0.250	DBL. END REEL	16"-20"	50"-55"	YES	YES	YES	
8	KOMATSU	OBW-110	120		27.50	74.80	6.30	3/4-10 T-SLOT	48.00	20.50	55.10	6.30	3/4-10 T-SLOT	36.00	4.33	12.80	15.75	2.95	50-100	15.00	8.00			BOLSTER IMAGE	Servo	18.00	0.125	REEL	16"-20"	42"-46"	YES	YES	YES	
9	AIDA	NC2-110	120		26.80	74.00	7.00	5/8-11 T-SLOT	36.00	20.50	53.50	7.00	5/8-11 T-SLOT	24.00	7.09	12.13	15.75		35-71	15.00	8.00			BOLSTER IMAGE	Servo	18.00								
10	BLISS		200	1963	42.00	60.00	6.00	5/8-11 T-SLOT	36.00	42.00	60.00	4.00	5/8-11 T-SLOT	36.00	8.00	15.00	20.00	5.00	25-50	18.50	10.50			BOLSTER IMAGE	Coe Servo CPRF-S218	24.00	.020-.185	CRADLE	16"-20"	42"-46"	YES	YES	YES	
11	KOMATSU		300	1999	61.00	122.00	7.10	3/4-10 T-SLOT	108.00	61.00	122.00	7.10	3/4-10 T-SLOT	108.00	7.80	13.78	20.08	6.30	40-100	19.50	11.00			BOLSTER IMAGE	Servo-Max	24.00	0.093	DBL. END REEL	16"-20"	50"-55"	YES	YES	YES	
12	KOMATSU	E2W-110	120		27.50	65.40	6.30	3/4-10 T-SLOT	48.00	20.50	55.10	6.30	3/4-10 T-SLOT	36.00	4.33	11.81	15.75	3.94	20-100	15.00	8.00			BOLSTER IMAGE	Coe Servo CPRF-M13	24.00	0.125	REEL	16"-20"	42"-46"	YES	YES	YES	
13	KOMATSU	OBW-110	120		27.50	74.50	6.30	3/4-10 T-SLOT	48.00	20.50	55.10	6.30	3/4-10 T-SLOT	36.00	4.33	12.80	15.75	2.95	50-100	15.00	8.00			BOLSTER IMAGE	Coe Servo CPRF-M13	18.00	0.125	REEL	16"-20"	42"-46"	YES	YES	YES	
14	EAGLE	SES2-600-144-54	600		54.00	144.00		5/8-11 T-SLOT		54.00	144.00		5/8-11 T-SLOT		10.00	20.00	30.00	10.00	30-50	25.00	16.00				Servo	39.00	0.090	DBL. END REEL	16"-20"	50"-55"	YES	YES	YES	
15	KOMATSU	H2W200 (H)	200	2012	43.00	84.65	7.08	3/4-10 T-SLOT	60.00	43.00	72.84	3.54	3/4-10 T-SLOT	48.00	5.90	15.00	19.70	4.70	5-85	19.50	10.50			BOLSTER IMAGE	Servo	24.00	0.25	REEL	14"-22"	60"	YES	YES	YES	






NIAGRA-SC2-250-72-42




MIN. SHUT
HEIGHT 32.000

43.000









PRESS #1 KOMATSU OBW-150




14.250 MIN. SHUT HEIGHT







PRESS #2 KOMATSU OBW-150





14.250 MIN. SHUT HEIGHT







NIAGRA-SA2-100-48-30





PRESS #3 NIAGRA 100-T







PRESS #5 MINSTER 160-T







PRESS #6 BLISS 60-T








PRESS #7 KOMATSU 300-T







-----17.75 MIN. SHUT HEIGHT









KOMATSU-OBW-110









AIDA-NC2-110









PRESS #10 BLISS 200-T









PRESS #11 KOMATSU 300-T








KOMATSU-E2W-110








KOMATSU-OBW-110





KOMATSU H2W200 (H) PRESS 15
SLIDE DETAIL (SAME AS E2W200)




KOMATSU H2W200 (H) PRESS 15
BOLSTER DETAIL







PRESS #16 AIDA TMX-L2-500 550 TON



PRESS #16 AIDA TMX-L2-500 550 TON
 ROLLING REAR CRADLE AND BOLSTER.
 NOTE: JIC SLOTS IN FRONT AND REAR
 CRADLES ARE NOT IN THE SAME LOCATION.
 BOLSTER PLATES ARE THE SAME.



PRESS #16 AIDA TMX-L2-500 550 TON
 ROLLING REAR CRADLE AND BOLSTER.
 NOTE: JIC SLOTS IN FRONT AND REAR
 CRADLES ARE NOT IN THE SAME LOCATION.
 BOLSTER PLATES ARE THE SAME.